Index

Commentationes et Relationes

Adams, D. B., Clark, D. T.: *Ab initio* Calculations of Core Electron Binding Energies and Shifts in Halomethanes 171

Arnaud, R., Faramond-Baud, D., Gelus, M.: Etude théorique de la conformation des complexes moléculaires de type donneur accepteur d'électrons. 335

Boys, S. F., s. Handy, N. C. 195

Buck, H. M., s. Dobbelaere, J. R. de, *et al.* 95

Cederbaum, L. S.: Direct Calculation of Ionization Potentials of Closed-Shell Atoms and Molecules 239

Chaillet, M., s. Liotard, D., *et al.* 325

Chen, S.-Y., Hedges, R. M.: Calculations of Singlet and Triplet States of Some Azabenzenes by Modified INDO-CI 275

Christoffersen, R. E., s. Shipman, L. L. 75

Clark, D. T., s. Adams, D. B. 171

Courrière, P., s. Pullman, B. 19

Cremaschi, P., Gamba, A., Simonetta, M.: The Influence of Solvation on $\pi^* \leftarrow n$ and $\pi^* \leftarrow \pi$ Transition Energies in Molecules Containing Aza or Carbonyl Groups 155

Csizmadia, I. G., s. Haines, W. J. 283

Csizmadia, I. G., s. Hopkinson, A. C. 83

Csizmadia, I. G., s. Wolfe, S. 355

Dargelos, A., s. Liotard, D., *et al.* 325

Diercksen, G. H. F., Niessen, W. von, Kraemer, W. P.: SCF LCGO MO Studies on the Fluoronium Ion FH_2^+ and Its Hydrogen Bonding Interaction with Hydrogen Fluoride FH 205

Dobbelaere, J. R. de, Haan, J. W. de, Buck, H. M., Visser, G. J.: CNDO/2 and INDO Calculations of a Reaction Pathway for the Sigmatropic [1,5]H-Shift in Cyclopentadiene . . 95

Faramond-Baud, D., s. Arnaud, R., *et al.* 335

Favini, G., Nava, A.: Modes of Interconversion in the Cycloheptene Ring 261

Fischer-Hjalmars, I., Siegbahn, P.: A Comparative *ab initio* Study of Ethylene, Acetylene and Benzene 1

Flurry, R. L., Jr.: The Use of Site Symmetry in Constructing Symmetry Adapted Functions 221

Gamba, A., s. Cremaschi, P., *et al.* 155

Gelus, M., s. Arnaud, R., *et al.* 335

Goodisman, J.: Oscillations in the Thomas-Fermi-Dirac Electron Density 101

Haan, J. W. de, s. Dobbelaere, J. R. de, *et al.* 95

Haines, W. J., Csizmadia, I. G.: An *ab initio* Molecular Orbital Study on the Addition Reaction of Triplet Nitrene to Ethylene 283

Hall, G. G., s. Tait, A. D. 311

Handy, N. C.: A Method for Selection and Use of Numerical Integration Points for Molecules with Cylindrical Symmetry 201

Handy, N. C., Boys, S. F.: Integration Points for the Reduction of Boundary Conditions. . 195

Hase, H. L., Schweig, A.: CNDO/2 (Complete Neglect of Differential Overlap)-Method for Third-Row Molecules . . . 215

Hedges, R. M., s. Chen, S.-Y. . . . 275

Henderson, G. A., Parr, R. G.: Three-Dimensional Bond-Charge Models for Potential Curves of Diatomic Molecules . . . 103

Hopkinson, A. C., Csizmadia, I. G.: An *ab initio* Study of the A_{Ac} 1 Hydrolysis Mechanism of Formamide . . . 83

Hussonnois, M., s. Malý, J. . . . 137

Hyslop, J.: A Six-Dimensional Quadrature Procedure . . . 189

Jug, K.: A New Definition of Atomic Charges in Molecules . . . 63

Kitaura, K., Nishimoto, K.: An Application of RPA Theory to Conjugated Systems in the Excited States. II. Linear Polyenes . . . 91

Kraemer, W. P., s. Diercksen, G. H. F., *et al.* . . . 205

Liotard, D., Dargelos, A., Chaillet, M.: Etude théorique de l'isomérisation *syn-anti* dans la Formaldoxime . . . 325

Lischka, H.: *Ab initio* Calculations on Small Hydrides Including Electron Correlation IX. Equilibrium Geometries and Harmonic Force Constants of HF, OH^-, H_2F^+ and H_2O and Proton Affinities of F^-, OH^-, HF and H_2O . . . 39

Malý, J., Hussonnois, M.: SCF Dirac-Hartree-Fock Calculations in the Periodic System II. Binding Energies and First Ionization Potentials for *s*, *p* and *d* Elements from $Z = 1$ to $Z = 120$ . . . 137

Moore, D. J., s. Rees, D., *et al.* . . . 183

Nava, A., s. Favini, G. . . . 261

Nishimoto, K., s. Kitaura, K: . . . 91

Niessen, W. von: A Theory of Molecules in Molecules. II. The Theory and Its Application to the Molecules Be-Be, Li_2-Li_2, and to the Internal Rotation in C_2H_6 . . . 111

Niessen, W. von: A Theory of Molecules in Molecules. III. Application to the Hydrogen Bonding Interaction of Two FH Molecules . . . 297

Niessen, W. von, s. Diercksen, G. H. F., *et al.* . . . 205

Parr, R. G., s. Henderson, G. A. . . . 103

Port, G. N. J., Pullman, A.: An *ab initio* Study of the Hydration of Alkylammonium Groups 231

Pullman, A., s. Port, G. N. J. . . . 231

Pullman, B., Courrière, P.: Complementary Molecular Orbital Investigations on the Conformation of Choline Derivatives . . . 19

Rees, D., Moore, D. J., Taylor, P. R.: The Numerical Integration of a Molecular Integral Using Two Different Techniques . . . 183

Schweig, A., s. Hase, H. L. . . . 215

Shipman, L. L., Christoffersen, R. E.: *Ab initio* Calculations on Large Molecules Using Molecular Fragments. Characterization of the Zwitterion of Glycine . . . 75

Siegbahn, P., s. Fischer-Hjalmars, I. . . . 1

Simonetta, M., s. Cremaschi, P., *et al.* . . . 155

Staemmler, V.: *Ab initio* Calculations on Small Hydrides Including Electron Correlation X. Triplet-Singlet Energy Separation and Other Properties of the CH_2 Radical . . . 49

Tait, A. D., Hall, G. G.: Point Charge Models for LiH, CH_4, and H_2O . . . 311

Taylor, P. R., s. Rees, D., *et al.* . . . 183

Tel, L. M., s. Wolfe, S., *et al.* . . . 355

Thomson, C., Wishart, B. J.: Electronic Structure of Unstable Intermediates. III. The Electronic Structure of OCC . . . 347

Visser, G. J., s. Dobbelaere, J. R. de, *et al.* 95

Voigt, B.: On Bridging the Gap between the INDO and the NDDO Schemes 289

Wagnière, G.: On the Electronic Structure of N_2H_2. A Possible Triplet Ground State in Diazines 269

Wishart, B. J., s. Thomson, C. 347

Wolfe, S., Tel, L. M., Csizmadia, I. G.: Gas Phase Acidities of CH Bonds Adjacent to Oxygen and to Sulphur 355

Indexed in Current Contents

Subiecta

Ab initio calculation 1
Ab initio molecular fragment approach 75
Acetylcholine, conformation of 19
—, structure-activity relation of 19
Addition reaction of triplet nitrene 283
All-valence electron calculations 215
Approximate LCAO-SCF 289
Aromaticity of odd-membered cycloradicals 95
Atomic and molecular structure 239
Atomic charges 63
Azabenzenes 275
Aziridine 283

Basis set 1
Be_2 111
Benzocycloheptene, inversion of 261
Bond-charge 103

Calculated geometry 347
Carbanions 355
C_2H_6 111
Cheletropic cleavage 269
CNDO/2-method for third-row atoms 215
Computed activation energy 83
Conformational energy surface 75
Conjugated systems 91
Core holes 171
Cycloheptene conformation 261

Density oszillations 101
Diazine 269
Dipole moment formula for third-row molecules 215
Dipole moments 63
Donor-acceptor complexes, conformation of 335
DRINDO 289

Electron correlation 39
Electronic structure 49, 239
Energy analysis 297
Equivalent cores 171
ESCA shifts 171
Excitation energy 49

Factor groups 221
Fermi-gas 103
FH . . . FH hydrogen bonding interaction 297
FH_2^+ 205
$FH_2^+ \cdot FH$ 205
Force constants 39
Formaldoxime 325

Gas phase acidity 355
Gaussian quadrature 189
Geometry of formyl cation 83
Green's functions 189

Hydration of alkylammonium 231
Hydrides 39
Hydrocarbons 1
Hydrogen bonding 205

Ionization 239
— potentials 1, 275
— — of atoms 137
INDO 289

Koopmans' theorem 171

Li_4 111
Local anesthetics 19
Localized orbitals, transferability of 111

Many-body perturbation theory 239
Methylene 49
Molecules in molecules 111, 297
Multipole-multipole interactions 289

NDDO 289
Numerical integration 183, 195, 201

One-electron properties 311
Orbital mapping 1
Oscillator strength 275
Oxime nitrogen inversion 325

Pair correlation energies 49
PCILO method 19
Point charge models 311
Polyenes 91
Potential curves 103
Projection operators 221
Proton affinity 39, 355
Proton solvation 205
Protonation of Formamide 83

Reaction profile 83
RPA calculation 91

SCF LCGO MO calculation 205
Singlet-triplet separation 269
Singularities 189
Site symmetry 221
Solvent shifts of electronic transitions 155
Spin-orbit coupling 275
Symmetry adapted functions 221

Thermal sigmatropic hydrogen shifts 95
Thomas-Fermi-Dirac model 101
Transcorrelated method 201
Transferability of localized orbitals 297
Transition energies 91
Transition state geometry 95
Triplet group state 269

Unstable intermediates 347

Zwitterion of glycine 75

the most widely used scientific information system in the world

Try any edition free for 4 weeks.

Nearly 200,000 professionals of all types use the *Current Contents*® system every week to locate and obtain new journal articles relevant to their work. And they've got good reasons.

Current Contents is the most comprehensive, least complicated way to make sure you learn of new developments in your field while they're still new. Just an hour a week spent scanning any edition of *Current Contents* lets you sort through everything that's published in a thousand or more journals. With *CC*® it's easy to pick out just those articles you want to read. Without handling the journals. Without increasing your journal subscription expenses.

Find out why so many people like you use *Current Contents*. Get more information and a free 4-week subscription by completing the coupon.

©1973 ISI

Please start my free 4-week subscription to the *Current Contents*® edition checked below:

- ☐ **Life Sciences**
- ☐ **Physical & Chemical Sciences**
- ☐ **Agriculture, Biology & Environmental Sciences**
- ☐ **Behavioral, Social & Educational Sciences**
- ☐ **Engineering & Technology**
- ☐ **Clinical Practice**

Name

Title

Organization

Street Address

City State/Province

Zip Country

351

ISI® Institute for Scientific Information

325 Chestnut St., Philadelphia, Pa., U.S.A. 19106 Tel.: (215) 923-3300, Cable: SCINFO, TELEX: 84-5305

The journal you are reading and 5000 others are regularly covered in *CURRENT CONTENTS*®.

LB Landolt-Börnstein

Neue Serie/New Series

Gesamtherausgabe
Editor in Chief:
K.-H. Hellwege

Zahlenwerte und Funktionen aus Naturwissenschaften und Technik
Numerical Data and Functional Relationships in Science and Technology

Group I

Nuclear and Particle Physics

Volume 5

Q-Values and Excitation Functions of Nuclear Reactions

Part a:

Q-Values

By K. A. Keller, J. Lange, H. Münzel
Editor: H. Schopper

2 diagrams
VIII, 666 pages. 1973
Cloth DM 320,–
ISBN 3-540-06031-6
Prices are subject to change without notice

This volume, I/5 a, contains the reaction energies (Q-values) of nuclear reactions and the subsequent volumes, I/5 b and c, will contain a compilation of excitation functions.

Q-values were tabulated for reactions with up to eleven outgoing particles. As target nuclides all stable and some radioactive nuclides were included. As projectiles the most important nuclei up to medium nuclear masses were selected. Q-values not contained in the tables can be computed with the help of the tables of mass excesses at the end of thu volume.

The computation of the Q-values is based on the mass excesses from experimental data (Wapstra and Gove, 1971) or on the mass formula of Myers and Swiatecki, 1965 (★ in the tables).

Table of contents

Table of Q-values for nuclear reactions.
Projectiles:

γ	n	p	d	^{3}He	α	^{6}Li	^{7}Li	
^{10}B	^{11}B	^{12}C	^{14}N	^{16}O	^{18}O	^{19}F	^{20}Ne	
^{22}Ne	^{31}P	^{32}S	^{40}Ar	^{40}Ca	^{64}Zn	^{84}Kr	^{127}J	^{132}Xe

Table of mass excesses.

■ Prospectus on request

Springer-Verlag
Berlin · Heidelberg · New York
München · London · Paris · Sydney · Tokyo · Wien

Instructions to Authors

Manuscripts should be *submitted in duplicate*, typed in double-line spacing on one side of the paper only. Form and contents should be carefully checked to exclude the need for corrections in proof. The author should mark in the margin where diagrams and tables should be inserted.

To speed up publication, authors will receive only *one set of proofs:* provisionally numbered page proofs. Authors are requested to correct typographical errors only; they will be charged for corrections involving changes, additions, or deletions to the original manuscript.

Formulae should be typewritten whenever possible, special attention being given to the placing of indices and exponents so that they are recognizable as such even though there is no difference in size. Formulae should preferably be written in a "linear" form e. g. $\exp(-\varepsilon/kT)$ instead of $e^{-\frac{\varepsilon}{kT}}$). Special typefaces (Greek, Script) should be shown by underlining in color. To avoid confusing the printer, please use red for Greek and green for Script, and underline in brown for bold face.

The following are *frequently confused:*

$\cup, \upsilon, \bigcup, U$; $\circ, o, O, 0$; $\times, x, X, \varkappa$; $\vee, v, \nu$; $\theta, \Theta, \phi, \varphi, \Phi, \varnothing, \vartheta$; ψ, Ψ; $\varepsilon, \in$;

a', a^1; the symbol *a* and the indefinite article a;

also the handwritten Roman letters:

c, C; e, l; I, J; k, K; o, O; p, P; s, S; u, U; v, V; w, W; x, X; z, Z;

Please take care to distinguish them in some way: preferably small letters should be underlined once and capital letters twice.

The papers should be preceded by an *English summary* of not more than 100 words. Papers not written in English should have an English translation of the title.

Immediately following the summary, a list of *key words* (not exceeding five items normally) should be supplied for subject indexing.

Literature references should be numbered and listed at the end of the paper. They should be cited as follows: *journal papers* — names and initials of all authors, journal with abbreviations according to the I.U.P.A.C. list (Chemical Abstracts, Vol. 55, 1961), volume and page number, year in parentheses; *books* — names of authors, full title, edition, place, publisher and year. References should be cited in the text by number.

Figures, graphs and structural formulae should be separated from the text and be numbered. Original drawings and graphs should be made in Indian ink with lines of uniform thickness. Authors should keep in mind that drawings will be reduced to a size not exceeding 12 × 19,5 cm. In general it should be assumed that the same degree of reduction will apply to all figures in the same paper. Inscriptions should allow for any reduction in scale — a capital letter should be about 1.8 mm in hight in the final version. Computer print-outs should be black and evenly printed to allow direct reproduction.

Captions, which should be brief, should be typed separately and attached to the manuscript.

Special alphabets or typefaces

Script	$\mathscr{A}, \mathscr{B}, \mathscr{C}, \mathscr{D}, \mathscr{E}, \mathscr{F}, \mathscr{G}, \mathscr{H}, \mathscr{I}, \mathscr{J}, \mathscr{K}, \mathscr{L}, \mathscr{M}, \mathscr{N}, \mathscr{O}, \mathscr{P}, \mathscr{Q}, \mathscr{R}, \mathscr{S}, \mathscr{T}, \mathscr{U}, \mathscr{V}, \mathscr{W}, \mathscr{X}, \mathscr{Y}, \mathscr{Z}$
	$a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$
Sanserif	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
	a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Gothic	$\mathfrak{A}, \mathfrak{B}, \mathfrak{C}, \mathfrak{D}, \mathfrak{E}, \mathfrak{F}, \mathfrak{G}, \mathfrak{H}, \mathfrak{I}, \mathfrak{J}, \mathfrak{K}, \mathfrak{L}, \mathfrak{M}, \mathfrak{N}, \mathfrak{O}, \mathfrak{P}, \mathfrak{Q}, \mathfrak{R}, \mathfrak{S}, \mathfrak{T}, \mathfrak{U}, \mathfrak{V}, \mathfrak{W}, \mathfrak{X}, \mathfrak{Y}, \mathfrak{Z}$
	$\mathfrak{a}, \mathfrak{b}, \mathfrak{c}, \mathfrak{d}, \mathfrak{e}, \mathfrak{f}, \mathfrak{g}, \mathfrak{h}, \mathfrak{i}, \mathfrak{j}, \mathfrak{k}, \mathfrak{l}, \mathfrak{m}, \mathfrak{n}, \mathfrak{o}, \mathfrak{p}, \mathfrak{q}, \mathfrak{r}, \mathfrak{s}, \mathfrak{t}, \mathfrak{u}, \mathfrak{v}, \mathfrak{w}, \mathfrak{x}, \mathfrak{y}, \mathfrak{z}$
Boldface	**A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z**
	a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Special Roman	$\mathbb{A}, \mathbb{B}, \mathbb{C}, \mathbb{D}, \mathbb{E}, \mathbb{F}, \mathbb{G}, \mathbb{H}, \mathbb{I}, \mathbb{J}, \mathbb{K}, \mathbb{L}, \mathbb{M}, \mathbb{N}, \mathbb{O}, \mathbb{P}, \mathbb{Q}, \mathbb{R}, \mathbb{S}, \mathbb{T}, \mathbb{U}, \mathbb{V}, \mathbb{W}, \mathbb{X}, \mathbb{Y}, \mathbb{Z}, \mathbb{1}$
Greek	$\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega$
	$\alpha, \beta, \gamma, \delta, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \lambda, \mu, \nu, \xi, o, \pi, \rho, \sigma, \tau, \upsilon, \varphi, \phi, \chi, \psi, \omega$